

CENTRA®

Centralized laboratory water systems



CENTRA



We recognize that a fundamental element in designing or upgrading a laboratory is planning space and equipment needs for critical services, such as gases and high-purity water.

At ELGA, we have applied our expertise gained from 50 years of innovation in water purification technologies, to design CENTRA, a complete water purification, storage and distribution system packaged into a single unit. The CENTRA design overcomes the limitations of traditional central water purification systems to deliver consistent water purity, flexibility and economy.

This brochure outlines the key features of all the products in our CENTRA range that are designed to supply Type I to Type III purified water to everything from glassware washers and autoclaves to high purity polishers such as our PURELAB Ultra and PURELAB flex.



Total confidence in your Pure Water system.

The CENTRA product family includes a Centralized Recirculating Distribution System and Centralized Purification and Distribution Systems (first purifies and then distributes the purified water).

All built in purification technologies are controlled by a central processor with audio-visual alarm warnings, an internal leak detection alarm and connection to building management systems.

Prior to installation a dedicated team of ELGA project engineers will work with you to develop a designed engineered solution and for complete peace of mind, every ELGA product is backed by a global service structure, ensuring your system remains costeffective and delivers pure water during its entire life time.

Centralized distribution of pure laboratory water



adapting to your applications as they change

The CENTRA Advantage

Purity

This is ensured by vent filtered wrap-around reservoirs, controlled distribution flow rates, and a selected range of purification technologies such as UV photo oxidation, deionization cartridges etc. Simple and easy sanitization processes ensure longterm bacterial control. A choice of purification media solutions is available to optimize inorganic and organic purity.

Flexibility

Modular design allows a number of CENTRAs to be connected, thereby creating a network of water units for a facility. Purity of water can be adapted to specific laboratory applications and changed as needs develop. A smaller footprint ensures the water purification system occupies less premium plant or laboratory space than conventional installations.

Economy

Individual laboratory needs can be met separately without requiring the entire building or site to have a higher specification.

Maintenance is easier on a smaller system and can be tailored towards the needs of individual laboratories.

Faster commissioning and installation time speeds up the build process and helps reduce costs.

The table below provides a summary of the CENTRA range and the key features of each product to help you match the best system to your laboratory design.

	CENTRALIZED DISTRIBUTION SYSTEMS	CENTRALIZED PURIFICATION AND DISTRIBUTION SYSTEMS	
Standard CENTRA Model	RDS	R 200	R 120
Typical Flow rate	Up to 18 liters/min		Up to 10 liters/min
High Flow CENTRA Model	-	R 200-HFV	n/a
Typical Flow rate	Variable speeds up to a maximum of 30 liters/min ¹		n/a
Reservoir Capacity	350 liters	350 liters	50 liters
Recirculation Pump	√	√	√
Reverse Osmosis		√	√
UV Photo-oxidation	√	√	√
0.2 μm Filter	√	√	√
Optional Deionization	√	√	√
Optional Composite Vent Filter	√	V	V
System Monitoring/Safety Features	√	√	√
Semi-automated Sanitization of Loop	√	√	V

¹Subject to the distribution loop design



Worldwide service and support

For total confidence in your pure water systems

Every CENTRA comes complete with one extra feature – first class service and support wherever you are in the world. ELGA has installed thousands of systems globally, and our service engineers will apply their expertise to the installation, validation and maintenance of your water purification systems in compliance with all the relevant codes.

Visit www.elgalabwater.com to find your nearest contact.

Service excellence

- · We aim to provide first-time-fix service
- Preventative maintenance contracts are structured to match your precise needs, thereby minimizing interruptions to your workflow and sustaining system reliability
- All our calibration equipment is maintained to traceable standards and operated by fully trained service technicians ensuring your water quality is consistently maintained at the required standard

Training

 "Hands on" operation training is arranged on or off site to ensure optimal system performance and minimize the risk of an interrupted workflow

Technical assistance

- Our specialized local team will ensure you find the perfect product to match both your budget and applications
- Our dedicated local help desk is always available to provide advice, troubleshooting and parts identification







Quality assured

Our commitment to the highest quality control processes guarantees reliability and compliance with both international, environmental and user organization standards.

Designed and manufactured under an ISO 9001:2000 total quality system. Tested to comply with CE, EMC, EN 61010 (UL CSA), PIRA, WEEE Directive and other standards as appropriate.

Validation support

Water systems that are employed within a validated laboratory should operate within specification all of the time. This should be evidenced through documentation and trending should warn the user if performance is likely to fall below their requirements. ELGA offers a market-leading validation package with fully trained personnel using controlled equipment and documentation to support you throughout the validation process.





Training and education in system design considerations

At ELGA we see it as our responsibility to ensure that clients, architects, consultants and contractors are made aware of the complexities when designing new lab services. We hold a range of training courses and seminars that cover detailed loop and system design through to basic awareness of key design issues. For more information contact info@elgalabwater.com.

Facility design, build and installation -

working together for a customized solution

We understand the challenges of designing, building and equipping research laboratories, whether you require a complete water purification package for an individual laboratory, a suite of laboratories, or all the laboratories and associated facilities (i.e. washing rooms) in a building.

We have provided centralized solutions that have met all specified lab water requirements economically and on budget across a broad range of organizations, including academic research laboratories in universities and institutes, clinical laboratories in hospitals, R&D laboratories in small biotechnology companies and laboratories in major pharmaceutical and biopharmaceutical corporations.



largest water purification company, gives us the capabilities and resources to provide unsurpassed centralized water purification solutions to either single or entire suites of laboratories in a building, immaterial of the quantities and qualities of purified water and the space available."

Our ELGA team works together with architects, consultants, facilities managers, suppliers and scientists to provide help and expertise at all stages from conceptualizing and finalizing the facility design through to the actual build and water purification installation. The design and installation of complete water purification packages depends on a wide range of parameters that include:

- The specific scientific or clinical applications
- · Feedwater quality
- Required range of water qualities and compliancy
- Range of water quantities i.e. peak-usage and normal usage per day or week
- · Space availability
- Budget



Your first step to Pure Water:
The ELGA LabWater water analysis kit

An informed start for a streamlined solution

At ELGA we do not speculate or work on assumptions about your water quality. On our first visit to your laboratory we will carry out a test, on site, that analyzes your feed water quality.

Armed with data about your laboratory's water quality, required applications, lab design and budget, our sales team will deliver an informed proposal about the best water purification solutions to suit your needs.

At ELGA we help you through the entire process of concept, design and implementation of your project. At the very early stages of planning, estimates can be provided for different scenarios without much information from the client. However, as the project progresses we will take you through a 'water usage assessment'. This identifies each point-of-use (e.g. sinks, washers and any local ultrapure systems) as well as the flow rate and volume required for a given period. It is important to identify peak and normal usage per hour, day and week, as well as pressure requirements. This information, combined with distribution loop length and path, will determine not only the overall amount of purified water, but also the most efficient size and type of system (purification, storage and distribution).

Using this data, our teams of contract engineers and project specialists will design the most efficient system for your design, using CENTRA modules as well as (if required) other ELGA products or bespoke components.

After installation and commissioning, our ongoing tailored service and maintenance support will ensure that your systems are running optimally.



The CENTRA concept

The centralized water system challenge facing modern laboratories



Figure 1: A traditional central system.

The single centralized system serves labs located on two floors, and takes up a large area in a dedicated plant room. Any usage changes in the labs will require the entire building to be up- or downgraded.

There is an increasing requirement for high purity water to support a wide range of research applications. Many research laboratories change their activities with time or need to scale up their current research applications, thereby requiring larger quantities of research-grade water. Laboratory reconfigurations will also change the demands on lab water. This continual need for adaptation to meet changing requirements has led to a more modular approach to laboratory design and architecture.

Traditionally, laboratory networks within a building can require larger central systems with very high storage volumes of pure water and powerful (high pressure) distribution systems. This type of design does not always optimize water purity and can lead to spiralling distribution costs (see Figure 1).



The CENTRA solution

Products in our unrivalled CENTRA range provide the laboratory designer with a level of flexibility that is impossible to create with traditional central systems.

Of course, as with all ELGA solutions, ensuring lab water purity is a priority and was, therefore, a key element in the CENTRA design. CENTRA can incorporate a range of purification options that include: reverse osmosis (RO), UV photo-oxidation, sub-micron filtration, deionization, storage quality control and full system recirculation to match the water quality demands of the laboratory. Figures 2 and 3 illustrate the flexibility and economy of the CENTRA system.

Adapting to changing laboratory needs

Figure 2: Today's lab water requirements.

One lab, located on the second floor, requires a distribution loop.

Figure 3: Tomorrow's lab water requirements.

An additional laboratory, on the third floor, requires a distribution loop. This can be easily connected to the CENTRA loop below (using a CENTRA-RDS), thus extending the distribution system. Alternatively, a new loop can be created using a standalone CENTRA-R 200. The CENTRA design can be further tailored to suit the activities in the new laboratory. In addition, the CENTRA systems can be interconnected to enable full redundancy, thereby ensuring that in the unlikely event of failure, water is still available.

Providing all the support you need

Our application specialists will provide advice and guidance on the most efficient and effective CENTRA solution for your laboratory design. With each CENTRA comes the support and guidance of a global network of project engineers who can ensure that your system design, commissioning and installation runs smoothly.



Figure 2



Figure 3





Inside the CENTRA

The CENTRA range contains a wide selection of purification and distribution technologies to ensure the right fit for all the laboratories in your building

1 R

Reliable water quality

- Sanitization design for purification of RO membranes
- Sanitization designed to run quickly and easily
- User-defined, electronically protected sanitization reminders

2

Economic design

- Unique "wrap-around" reservoir
- Easy-access doors and castors means system can be located under bench

3 Un

Unique system operation protection

- Easy-to-use Building Management System
- Automated alarms
- Access to important control systems limited by 'E-key'

CENTRA-R 120





Energy saving, heat reducing distribution system

- Increase life of components
- Reduces electrical costs

Issues raised by traditional central laboratory water systems versus the CENTRA solution

Traditional central systems • CENTRA solution Water purity can be **CENTRA** systems are designed Purity to provide water purity. The compromized as traditional systems are placed close to high central systems require reservoirs that are susceptible flow applications (e.g. large glass washers) and variable speed to bacterial contamination. pumps can control the water flow in the loop to suit individual requirements, thereby eliminating the need for large storage volumes. Uneconomical use of space; Compact design allows CENTRA Economy systems to be placed directly in a single centralized water or close to laboratories, thereby purification and distribution occupying less plant room space. system typically occupies a large area in a room that is separate CENTRA systems can be placed from the laboratory (i.e. plant area closer to the applications, saving or washing room). costs by reducing lengths of pipework and excluding the Higher costs – if only one or a need for larger diameters and few laboratories in a building minimizing pressures throughout require(s) a high flow rate for the entire loop. their applications, then all the laboratories (e.g. those requiring low flow rate or usage) must have a much larger and more complex purification and distribution design. This often results in higher costs as larger diameter pipework, increased pressure and flow rates are required. Inflexible design; as pure Flexibility Modular design allows the optimum flow rate to be water usage changes between delivered separately to individual laboratories, central systems laboratories, i.e. requirements that must upgrade or downgrade range from high flow rate through throughout the entire building. to low usage can be met with the flexibility of the CENTRA system. Reliability If the central system fails, then CENTRA systems can be there is seldom a back-up; interconnected to enable full redundancy, thereby ensuring that therefore, the entire suite of in the unlikely event of failure, laboratories in a building will

not have access to purified water

"on tap".

water is still available.







CENTRA RDS

Distributing and recirculating pre-purified water centrally

The CENTRA-RDS stores, controls and distributes pre-purified water throughout a building (or a suite of laboratories) via a loop system. The system incorporates a 350 liter water storage reservoir and has advanced bacterial control as a result of a combination of UV photo-oxidation, an external purification cylinder and 0.2 µm filter. The RDS is available as high flow variable speed model (HFV) that can deliver up to 30 liters/min to meet peak demand.



CENTRA-RDS

Recirculating distribution system

- Integral 350 liter reservoir
- Loop flow rate of up to 18 liters/min
- Recirculation pump for distribution of the prepurified water around the loop system and back into the reservoir
- Access to a range of system monitoring and safety features via the central 'softkey' control panel
- UV photo-oxidation for enhanced microbial control
- 0.2 µm filter to maintain water quality in the distribution loop
- Optional deionization cylinder may be positioned outside the CENTRA-RDS, but within the loop
- Additional monitoring, including product water quality and consumable change reminder










Process Flow CENTRA-RDS





CENTRA

R 120 and 200

Centralized purification and distribution systems

The CENTRA-R 120 and 200 offer complete water purification, storage, control and distribution systems featuring up to 200 liters/hr reverse osmosis modules and a 0.2 µm filter.

CENTRA-R 120

The flexible solution for smaller distribution requirements.

- Optional cartridge-based deionization (simply plug and dispense)
- Extended deionization performance with optional CO₂ degassing
- UV photo-oxidation for enhanced bacterial control and TOC performance
- Optional 0.2µm filter for enhanced particle control
- Composite vent filter helps maintain high water purity by preventing airborne gases and bacteria entering the reservoir

- Flow rate of up to 10 liters/min
- Integral 50 liter reservoir
- Access to a wide range of system monitoring and safety features via the central "softkey" control panel
- Additional safety monitoring, including product water quality alarm and consumable change reminder

CENTRA-R 200


The CENTRA-R 200 features the same technologies as the CENTRA-R 120 plus

- Optional deionization (or other purification media) may be positioned outside the CENTRA-R 200, but within the loop
- 0.2µm filter to maintain high water purity in the distribution loop
- Loop flow rate up to 18 liters/min with standard system or up to 30 liters/min with the high flow rate variable speed model
- Integral 350 liter reservoir






Process Flow CENTRA-R 60/120



Process Flow CENTRA-R 200



The LabWater Specialists

ELGA is an integral part of Veolia, the world's leading water service company. Veolia has a worldwide team of over 9,500 people and is renowned for its capabilities in providing water solutions to customers throughout the entire water cycle.

The ELGA team focuses exclusively on water and its purification. It continually contributes to the unique technical and scientific applications expertise developed during the past 50 years. We are experienced in meeting the challenges that arise during the development, installation and servicing of single point-of-use water purification systems as well as large projects involving consultation with architects, consultants and clients.

Commitment to global citizenship

The Veolia Environment Foundation supports worldwide projects contributing to sustainable development, with a special focus on outreach, workforce development and the environment.

Since 2004, with an annual budget of €5 million, the Foundation has supported more than 450 projects.

(see www.fondation.veolia.com for details)

Contact us:

ELGA offices and distributors are located in more than 60 countries and are fully trained in all ELGA systems.

To find your nearest ELGA representative, go to www.elgalabwater.com and select your country for contact details

ELGA Global

tel: 630 343 5251 fax: 630 910 4798

elga.usa@veolia.com www.elgalabwater.com

Your local ELGA representative



Scan this QR code with your smart mobile phone to contact your local ELGA Representative